

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Michael A. Centanni et al.

Confirmation No.: 3283

Application No.: 10/663,593

Group No.: 1744

Filed: September 16, 2003

Examiner: McKane, Elizabeth L.

For: SENSOR FOR DETERMINING CONCENTRATION OF FLUID STERILANT

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

STATUS INQUIRY

1. The above-identified patent application was filed on **September 16, 2003**. It is respectfully requested that the Examiner advise the undersigned of the present status of this application by indicating on the following page an expected date of action by the Examiner.

Date: October 20, 2006

Reg. No.: 31,115

Tel. No.: 440-684-1090

Customer No.: 22203

Signature of Practitioner

Mark Kusner

KUSNER & JAFFE

Highland Place - Suite 310 6151 Wilson Mills Road Highland Heights, OH 44143

CERTIFICATION UNDER 37 C.F.R. §§ 1.8(a) and 1.10*

(When using Express Mail, the Express Mail label number is mandatory; Express Mail certification is optional.)

I hereby certify that, on the date shown below, this correspondence is being:

MAILING

X deposited with the United States Postal Service in an envelope addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

37 C.F.R. § 1.8(a) X with sufficient postage as first class mail.

37 C.F.R. § 1.10*
as "Express Mail Post Office to Addressee"

Mailing Label No.

(mandatory)

TRANSMISSION

facsimile transmitted to the Patent and Trademark Office, (703)	Mem	i Mehle
Date: October 20, 2006	Signature	Naomi Mehls

(type or print name of person certifying)

^{*} Only the date of filing ('1.6) will be the date used in a patent term adjustment calculation, although the date on any certificate of mailing or transmission under '1.8 continues to be taken into account in determining timeliness. See '1.703(f). Consider "Express Mail Post Office to Addressee" ('1.10) or facsimile transmission ('1.6(d)) for the reply to be accorded the earliest possible filing date for patent term adjustment calculations.

(Practitioner's Docket No. ST8012US)

STATUS INQUIRY REPLY

APPLICATION NO. <u>10/663,593:</u>		
ACTION BY THE EXAMINER IS EXPECTED		
_	(Date)	